


SOCKET-B-35 compatibility

MANUFACTURER	COB TYPE	DIMENSIONS (mm)	LES DIAMETER (mm)	SOCKETS					
				C18968_SOCKET-B-35-C	C19308_SOCKET-B-35-C	C19309_SOCKET-B-35-I	C19424_SOCKET-B-35-L	C19425_SOCKET-B35-M	C19425_SOCKET-B35-N
Bridgelux 	V3 HD Gen 8	12.5 x 12.5	3.8			•			
	V4 HD Gen 7	12.5 x 12.5	5.2			•			
	V4 HD Gen 8	12.5 x 12.5	4.8			•			
	V6 Gen 6	12.5 x 12.5	6.0			•			
	V6 Gen 8	12.5 x 12.5	6.3			•			
	V8 Gen 6	12.5 x 12.5	8.1			•			
	V8 Gen 7	12.5 x 12.5	8.1			•			
	V8 Gen 8	12.5 x 12.5	8.5			•			
	Vesta TW 6mm DP	12.5 x 12.5	6.3			•			
	V3 HD Gen 8 FC	13.5 x 13.5	2.9	•					
	V6 HD Gen 7	13.5 x 13.5	7.0	•					
	V6 HD Gen 8	13.5 x 13.5	6.6	•					
	V10 Gen 7	13.5 x 13.5	10.2	•					
	V10 Gen 8	13.5 x 13.5	10.0	•					
	V9 HD Gen 7	19.0 x 19.0	9.2		•				
	V9 HD Gen 8	19.0 x 19.0	8.8		•				
	V11 HD Gen 8	19.0 x 19.0	11.3		•				
	V13 Gen7	19.0 x 19.0	14.0		•				
	V13 Gen 8	19.0 x 19.0	14.8		•				
	H15	19.0 x 19.0	14.9		•				
Citizen CITIZEN	CLL01x	9.5 x 9.5	6.0				•		
	CLU7L3	9.5 x 9.5	2.4					•	
	CLU7S3	9.5 x 9.5	3.5					•	
	CLU7R3	11.5 x 11.5	4.2			•			
	CLL02x/CLU02x (LES10)	13.5 x 13.5	9.8	•					
	CLU700/701/702/703	13.5 x 13.5	6.0	•					
	CLU025/CLU027 (LES 6)	13.5 x 13.5	6.0	•					
	CLU7A2/7A3	13.5 x 13.5	4.2	•					
	CLU7B2	13.5 x 13.5	3.3	•					



The information contained herein is the property of Ledil Oy, Joensuukatu 7, FI-24100 SAJO, Finland and is subject to change without notice. Please visit www.ledil.com for additional information, such as the latest photometric files, 3D mechanical models, and application notes relating to handling, gluing and taping. LEDiL is a registered trademark of LEDiL Oy in the European Union, the U.S.A. and certain other countries.

LEDiL

SOCKET-B-35 compatibility


MANUFACTURER	COB TYPE	DIMENSIONS (mm)	LES DIAMETER (mm)	SOCKETS					
				C18968_SOCKET-B-35-C	C19308_SOCKET-B-35-C	C19309_SOCKET-B-35-L	C19424_SOCKET-B-35-L	C19425_SOCKET-B35-M	C19425_SOCKET-B35-N
Citizen CITIZEN	CLL03x/CLU03x	19.0 x 19.0	14.5		•				
	CLU710/711	19.0 x 19.0	8.5		•				
	CLU712/713	19.0 x 19.0	8.5		•				
	CLU720/721/723	19.0 x 19.0	11.0		•				
Cree CREE ↔ LED	CMT14xx	13.5 x 13.5	9.8	•					
	CMU10xx	13.5 x 13.5	9.8	•					
	CHA0304	13.5 x 13.5	3.3	•					
	CHA0410	13.5 x 13.5	4.2	•					
	CHA0612	13.5 x 13.5	6.0	•					
	CMT19xx	19.0 x 19.0	14.5		•				
	CMU15xx	19.0 x 19.0	14.5		•				
	CHA0825	19.0 x 19.0	8.5		•				
Ledim	LEDIM/C6	19.0 x 19.0	8.0		•				
Lumileds LUMILEDS	LUXEON CS CoB LES 6	13.5 x 13.5	6.3	•					
	LUXEON CS CoB LES 9	13.5 x 13.5	9.8	•					
	LUXEON CS CoB LES 13	19 x 19	13.0		•				
	LUXEON CS CoB LES 15	19 x 19	14.5		•				
Luminus LUMINUS	CxM-9 (13.5x13.5)	13.5 x 13.5	9.8	•					
	CxM-6 (13.5x13.5)	13.5 x 13.5	6.3	•					
	CXM-3	13.5 x 13.5	3.5	•					
	CXM-4	13.5 x 13.5	4.5	•					
	CxM-14 (19x19)	19.0 x 19.0	14.5		•				
	CxM-11 (19x19)	19.0 x 19.0	11.0		•				
	CHM-9 XH (19x19)	19.0 x 19.0	9.0		•				
	CHM-11 XH (19x19)	19.0 x 19.0	11.0		•				
Osram	PrevaLED Core G7 LES10 CoB	13.5 x 13.5	9.8	•					
	PrevaLED Core G7 LES15 CoB	19.0 x 19.0	14.5		•				



The information contained herein is the property of Ledil Oy, Joensuukatu 7, FI-24100 SAJO, Finland and is subject to change without notice. Please visit www.ledil.com for additional information, such as the latest photometric files, 3D mechanical models, and application notes relating to handling, gluing and taping. LEDiL is a registered trademark of LEDiL Oy in the European Union, the U.S.A. and certain other countries.

SOCKET-B-35 compatibility



MANUFACTURER	COB TYPE	DIMENSIONS (mm)	LES DIAMETER (mm)	SOCKETS				
				C18968_SOCKET-B-35-C	C19308_SOCKET-B-35-C	C19309_SOCKET-B-35-I	C19424_SOCKET-B-35-L	C19425_SOCKET-B-35-M
Osram Opto OSRAM Opto Semiconductors	Soleriq S9	13.5 x 13.5	9.8	•				
	Soleriq S13 19x19	19.0 x 19.0	13.0		•			
	Soleriq S15	19.0 x 19.0	14.7		•			
Philips PHILIPS	Fortimo SLM L09 1313 CoB	13.5 x 13.5	9.8	•				
	Fortimo SLM L15 1919 CoB	19.0 x 19.0	14.5		•			
Samsung SAMSUNG	LC003D / LC006D / LC009D / LC013D	13.5 x 13.5	9.8	•				
	LC006B / LC008B	13.5 x 13.5	8.0	•				
	LC010C G2	13.5 x 13.5	6.0	•				
	LC016D / LC019D / LC026D / LC033D	19.0 x 19.0	14.5		•			
	LC020C G2	19.0 x 19.0	8.5		•			
	LC030C/040C G2	19.0 x 19.0	11.5		•			
	LC010T (Tunable white)	19.0 x 19.0	9.8		•			
	LC020T (Tunable white)	19.0 x 19.0	13.0		•			
Seoul Semiconductor SEOUL	ZC4/6	13.5 x 13.5	8.6	•				
	MJT COB LES 6	13.5 x 13.5	6.0	•				
	MJT COB LES 9.8	13.5 x 13.5	9.8	•				
	ZC12/18	19.0 x 19.0	14.6		•			
	MJT COB LES 14.5	19.0 x 19.0	14.5		•			
Tridonic TRIDONIC	SLE G7 LES09	13.5 x 13.5	9.0	•				
	SLE G8 LES06	13.5 x 13.5	6.0	•				
	SLE SNC8 LES09	13.5 x 13.5	9.8	•				
	SLE 04mm 800lm xxx R ADV8	13.5 x 13.5	4.5	•				
	SLE 06mm 1600lm xxx R ADV8	13.5 x 13.5	6.5	•				
	SLE 09mm 1200lm xxx R ADV8	13.5 x 13.5	9.0	•				
	SLE G7 LES13	19.0 x 19.0	13.0		•			
	SLE G7 LES15	19.0 x 19.0	15.0		•			
	SLE SNC8 LES15	19.0 x 19.0	14.5					
	SLE 13mm 3000lm xxx R ADV8	19.0 x 19.0	13.0		•			
	SLE 15mm 4000lm xxx R ADV8	19.0 x 19.0	14.5		•			



The information contained herein is the property of Ledil Oy, Joensuukatu 7, FI-24100 SAJO, Finland and is subject to change without notice. Please visit www.ledil.com for additional information, such as the latest photometric files, 3D mechanical models, and application notes relating to handling, gluing and taping. LEDiL is a registered trademark of LEDiL Oy in the European Union, the U.S.A. and certain other countries.

LEDiL

SOCKET-B-35 compatibility

MANUFACTURER	COB TYPE	DIMENSIONS (mm)	LES DIAMETER (mm)	SOCKETS						
				C18968_SOCKET-B-35-C	C19308_SOCKET-B-35-C	C19309_SOCKET-B-35-I	C19424_SOCKET-B-35-L	C19425_SOCKET-B35-M	C19425_SOCKET-B35-N	
Vossloh-Schwabe 	DMS102	13.5 x 13.5	6.0	•						
	DMS124	13.5 x 13.5	9.0	•						
	VCA102	13.5 x 13.5	6.0	•						
	VCA123	13.5 x 13.5	9.1	•						
	WU-M-618-920/930 Dim2Warm COB	13.5 x 13.5	9.8	•						
	DMS125/126/128	19.0 x 19.0	13.8		•					
	VCA125/127	19.0 x 19.0	13.8		•					
	VCA2-126/128	19.0 x 19.0	13.8		•					
Xicato 	XOB 4 mm	13.5 x 13.5	4.5	•						
	XOB 6 mm	13.5 x 13.5	6.0	•						
	XOB 9.8 mm	13.5 x 13.5	9.8	•						
	XOB 14.5 mm	19.0 x 19.0	14.5		•					